


BENNE POURBOIRE



			DIMENSION	S (mm)	CAPACITÉ	POIDS		
MODELE	CAPACITÉ (L)	A	В	С	D	Kg	Kg	
A-15	150	850	860	615	450	240	40	
A-25	250	950	1060	715	500	400	45	
A-30	300	1000	1100	815	500	480	53	
A-40	400	1050	1240	865	500	640	65	
A-50	500	1100	1390	916	500	800	96	
A-99	1000	1570	1700	1120	700	1600	160	
A-150	1500	2000	1960	1400	800	2400	270	

Т

BTB-07



	PORTÉE (Kg)		DIMENS	IONS (mm)	CAPACITÉ	POIDS	
	CAPACITÉ (Kg)	A	В	С	D	Kg	Kg
T-06	60	664	599	470	345	120	18
T-08	80	714	649	510	365	160	21
T-10	100	744	709	540	385	200	25
T-15	150	861	804	560	495	300	30

BENNE BASCULANTE CIRCULAIRE EN PLASTIQUE




MODELE	PORTÉE (Kg) Capacité (Kg)	∅ (mm))	Ø BASE (mm)	HAUTEUR (mm)	CAPACITÉ Kg	POIDS Kg
BTB-07	70	620	550	500	150	14,5



BTB I






MODELE	nanant ax		DIMENSIO	NS (mm)		CAPACITÉ	POIDS
MUDELE	MODELE CAPACITÉ (L)	A	В	C	D	Kg	Kg
BTB-045	45	600	362	463	400	90	14
BTB-06	60	637	380	513	450	120	17
BTB-08	80	697	410	563	500	160	20

BTB






	PORTÉE (Kg)		DIMENSI	OMS (mm)		CAPACITÉ	POIDS
MODELE	CAPACITÉ (Kg)	A	В	С	D	Kg	Kg
BTB-09	100	892	567	444	582	200	30
BTB-15	150	991	635	506	655	300	35
BTB-25	250	1227	758	606	784	500	65
BTB-50	500	1612	963	823	1010	1000	100
BTB-75	750	1803	1075	879	1124	1500	135
BTB-99	1000	1933	1163	1048	1300	2000	190
BTB-150	1500	1916	1264	1208	1464	3000	334
BTB-200	2000	2026	1374	1325	1584	4000	335

BOT-I








MODELE	CAPACITÉ (L		DIMENS	IONS (mm)		CAPACITÉ	POIDS
MODELL	GAFAGIIL (L	A	В	C	DxE	Kg	Kg
BOT-60I	600	1390	1234	924	498x285	1560	245
BOT-60IT	620	1390	1234	924	200x200	1560	380
BOT-991	1000	1552	1234	1287	700x285	2600	380
BOT-99IT	1000	1552	1234	1287	200x200	2600	390


CT





MODELE	CAPACITÉ (L		DIMENSI	JNS (mm)		CAPACITÉ	POIDS
MODELL	UNI AUTIE (E	A	В	С	D	Kg	Kg
CT-50	500	1250	1050	880	1200	1300	120
CT-80	800	1490	1250	930	1450	2080	175
CT-99	1000	1670	1250	930	1450	2600	215
CT-150	1500	2180	1250	930	1450	3900	245






		_	_		_	_				
		A	В	С	D	E	F	G		
A-20D	200	800	1000	850	480	370	250	780	400	60
A-30D	300	980	1180	850	540	460	350	780	600	80
A-35D	350	980	1180	950	540	460	350	880	700	8.5
A-40D	400	980	1180	1050	540	460	350	980	800	90
A-50D	500	1080	1280	1050	600	500	380	980	1000	100
A-60D	600	1080	1280	1150	600	500	380	1080	1200	110
A-80D	800	1240	1520	1160	760	620	350	1080	1600	125
A-99D	1000	1360	1680	1380	860	660	400	1280	2000	190
A-150D	1500	1370	1700	1430	860	860	640	1340	3000	210
A-99DR RINFORZATO	1000	1358	1694	1266	769	665	377	1118	2000	230
A-150DR RINFORZATO	1500	1472	1787	1278	904	805	485	1108	3000	300
A-200D	2000	1518	1970	1612	946	840	530	1412	4000	550
A-300D	3000	1625	2146	1962	1006	900	580	1762	6000	670
A-400D	4000	2036	2551	2268	1130	1011	710	2062	8000	1150
A-600D	6000	2416	2830	2272	1436	1330	880	2066	12000	1600
A-800D	8000	2743	3425	2269	1736	1610	1072	2066	16000	2700

A-DZN





		A	В	С	D					
A-20DZN	200	800	1000	850	480	370	250	780	400	64
A-30DZN	300	980	1180	850	540	460	350	780	600	84
A-35DZN	350	980	1180	950	540	460	350	880	700	89
A-40DZN	400	980	1180	1050	540	460	350	980	800	95
A-50DZN	500	1080	1280	1050	600	500	380	980	1000	105
A-60DZN	600	1080	1280	1150	600	500	380	1080	1200	115
A-80DZN	800	1240	1520	1160	760	620	350	1080	1600	130
A-99DZN	1000	1360	1680	1380	860	660	400	1280	2000	195
A-150DZN	1500	1370	1700	1430	860	860	640	1340	3000	220
A-99DRZN RINFORZATO	1000	1358	1694	1266	769	665	377	1118	2000	235
A-150DRZN RINFORZATO	1500	1472	1787	1278	904	805	485	1108	3000	310
A-200DZN	2000	1518	1970	1612	946	840	530	1412	4000	570
A-300DZN	3000	1625	2146	1962	1006	900	580	1762	6000	680
A-400DZN	4000	2036	2551	2268	1130	1011	710	2062	8000	1200
A-600DZN	6000	2416	2830	2272	1436	1330	880	2066	12000	1650
A-800DZN	8000	2743	3425	2269	1736	1610	1072	2066	16000	2760